Scaffolds Chapter 296-874 WAC

Index

A	Changing direction, platforms planks, 200 -10 Chapter application, scope, 100 -1
Access	
Access integral prefabricated scaffolds access frames, 400-11 ladders, 200-13-14 platforms, 200-12 ramps and walkways, 200-17 stair towers, 200-15 stair rails and handrails, 200-16 supported scaffolds, erecting or dismantling, 400-6-7 surfaces, 200-18 Aerial lifts, exemption, 100-1 Altering scaffolds, (see erecting or dismantling)	Cleats, ramps and walkways, 200 -17 Chicken ladders (<i>see</i> crawling boards) Clips, wire ropes, 300 -11 Competent person definition, 200 -6; 500 -2 design and construction, 200 -5-6 inspections, 200 -18 manila rope, 200 -33 metal components, intermixing, 200 -6 outrigger beams, direct connections, 300 -5 supported scaffolds, fall protection, 400 -7 suspended scaffolds, swaying, 300 -12 training, 200 -37
Anchorage	weather hazards, 200 -23
horizontal lifelines, 200-29 suspended scaffolds, additional support lines, 200-35 tiebacks, 300-7 vertical lifelines, 200-28 Attachable, hook-on, and portable ladders, 200-13 Bearing supports, outrigger beams, 300-5 Boatswain's chair fall protection, 200-26 minimum seat width, 200-9 single-point adjustable suspension scaffolds, 300-20-21	weather flazards, 200-23 wire suspension ropes, 300-10 Components, intermixing, 200-6 Construction and design (see design and construction) Construction or alterations, erecting or dismantling scaffolds, 200-5 Corrosive substances, 300-13 Counterweights, suspended scaffolds, 300-5-7 Couplers (see tube and coupler scaffolds) Crane or derrick, suspended personnel platform, exemption, 100-1 Crawling boards (chicken ladders) fall protection, 200-26 general requirements, 400-10 Crossbraces access, prohibited, 200-12
Boom-supported elevated work platforms, exemption, 100 -1 Braking device or locking pawl, 300 -9	guardrail systems, 200 -33 horse scaffolds, 400 -15
Bricklayers' square scaffolds (squares), 400 -9-10	D
Bricklaying, guardrail exemption, 200-30	Damaged or weakened scaffolds components, 200 -19
C	Decking or planking, platforms, 200-7
Canopy, support lines, 200 -35	Defects, inspection, 200-18
Cantilevered loads, platforms, 200 -11 Carpenters' bracket scaffolds, 400 -14 Casters (<i>see</i> wheels and casters)	Definitions, 500 -1-10

Catenary scaffolds

fall protection, 200-26

suspended scaffolds, wire ropes, **300**-15



http://www.Ini.wa.gov/

Index

Scaffolds

Chapter 296-874 WAC

Index

Design and construction competent person, 200-6 general, 200-5 integral prefabricated scaffolds access **400**-11, 12 frames, ladder jack scaffolds, 400-15-16 mobile scaffolds, 400-9 outrigger scaffolds, 400-17 pole scaffolds, 400-18-19 portable, hook-on, and attachable ladders, **200**-13 suspended scaffolds, 300-8 tube and coupler scaffolds, 400-25-28 two-point adjustable suspension scaffolds stages), 300-22 (swina Devices emergency, escape and rescue, 300-13 suspended scaffolds, support, 300-8 Dismantling (see erecting or dismantling scaffolds) Distance from work face, fall protection, 200-25 F Eccentric loads, supported scaffolds, 400-4

Eccentric loads, supported scallolds, 400-4
Electrical hazards, erecting or dismantling
scaffolds, 200-22
Elevating work platforms, exemption, 100-1
Emergency escape and rescue devices, 300-13
Employee protection
energized power lines, minimum separation
distance (table 2), 200-22-23
falling objects, 200-34-35
fall protection, 200-24-25
platforms, working level height, 200-20-21
slipping and tripping hazards, 200-24

Energized power lines, **200**-22-23 Erecting or dismantling scaffolds

access, supported scaffolds, **400**-6-7 construction or alteration, **200**-5 electrical hazards, **200**-22-23 supported scaffolds, **400**-7-8 suspended scaffolds, **200**-25 platforms, **200**-7 training, **200**-37

weather hazards, wind screens, **200**-23 stair rail systems and handrails, **200**-16

Exemptions

overall, scope, **100**-1 platforms, planking and decking, **200**-7

F

Fabricated frame scaffolds (tubular welded frame scaffolds) general requirements, 400-11 integral prefabricated scaffolds access frames, **400**-11-12 Fall protection distance from work face, 200-25 employee protection, 200-24-25 personal fall arrest system, 200-24-29 references, 200-8, 25 specific types of scaffolds, 200-26 supported scaffolds, erecting or dismantling, **400**-7, 8 Falling object protection, 200-34-35 Falling hazards, 200-16, 24-29, 34 Float (ship) scaffolds

Float (ship) scaffolds
bearers, **300**-16
fall protection, **200**-26
Forklifts (*see* powered industrial trucks (PITs)
Form scaffolds, **400**-14

Foundations, supported scaffolds, **400**-5 Front-end loaders, supported scaffolds, **400**-6

G

Gasoline-powered equipment, **300**-15
Guardrail systems
fall protection, **200**-24-25
general requirements, **200**-30
falling object protection, **200**-34
specific scaffolds, **200**-26
stair and handrails, **200**-16
stair towers, **200**-15
Guys, ties, or braces, on supported scaffolds,

Н

400-3-4

Handrails and stair rails, 200-16
Hazards
electrical, 200-22-23
falling objects, 200-34
falls, 200-24-29
slipping and tripping hazards, 200-24
weather, 200-23
Heat-producing processes, 300-13
Height, toprail, top edge, 200-30, 31

1 • 800 • 4BE SAFE (1 • 800 • 423 • 7233)

Scaffolds Chapter 296-874 WAC

Index

Hoists, loads, 200 -22, 300 -8-9 Hook-on, portable, and attachable ladders, 200 -13 Horizontal and vertical planes, supported scaffolds, 400 -3-4 Horizontal lifelines, 200 -29 (<i>see also</i> personal fall arrest system) Horse scaffolds, 400 -15	Loads cantilevered, 200-11 eccentric, 400-4 general, 200-19 hoisting, 200-22 sag, 200-11 Locking devices, horizontal lifelines, 200-29
I .	M
Independent support lines (<i>see</i> support lines) Inspections, 200 -18 Installations guardrail systems, 200 -34 midrail, 200 -32	Manila rope boatswain's chair, 300 -21 competent person, 200 -33 Manually propelled elevating work platform, exemption, 100 -1
supported scaffolds, 400 -3, 4 Insulation, suspension ropes, 300 -14	Manufacturer's instructions, loading scaffolds, 200 -19
Integral prefabricated scaffolds access frames, 400-11-12	Masons' multi-point adjustable scaffolds, outrigge beams, 300 -5
Interior hung scaffolds, roof structures, 300 -17	Masons' multi-point adjustable suspension scaffolds, 300 -18 Maximum intended load, supported scaffolds and
Job-made ladders ladder jack scaffolds, 400 -15-16 step, platform, and trestle ladder scaffolds, 400 -23-24	scaffolds component, 200 -19; 400 -3 Midrails, installation, 200 -32 (<i>see also</i> guardrail systems) Minimum width requirements, 200 -9 Minimum strength requirements, scaffolds components, 200 -19 Mobile scaffolds
Ladder jack scaffolds, 200 -9, 26; 400 -15-16	moving, 400 -8-9
Ladders portable, hook-on, and attachable, 200-13 stairway-type, 200-14 type 1 or type 1A ladders, 400-15-16 working level height, 200-20-21 Lanyard, attached, personal fall arrest system, 200-27 Large area scaffolds, stilts and ladders, 200-20-21	support, proper, 400-6 Moving scaffolds mobile scaffolds, 400-8-9 employee protection, 200-20 erecting and dismantling, 200-5 Mud sills, 400-5 Multi-level suspended scaffolds, support lines, 300-17
Lean-to scaffolds, 200 -5 Lengths	Multi-point adjustable suspension scaffolds fall protection, 200 -26
platforms, 200 -11 suspension ropes, 300 -9 Lifelines, horizontal, 200 -28 (<i>see also</i> personal fall arrest system)	platforms, passage, 300 -18 swaying of suspended scaffolds, 300 -12



Scaffolds

Chapter 296-874 WAC

Index

N Nationally recognized testing laboratory, **300**-8, 22 Needle beam scaffold securing, 300-19 fall protection, 200-26 Outrigger beams, 300-5-6 Outrigger scaffolds, 400-17 Overhand bricklaying, guardrail systems, **200**-30 P

Personal fall arrest systems

anchorage, 200-28-29 attached by lanyard, 200-27 fall protection, 200-27-29 platforms, work face, 200-25 Personnel platforms, exemptions, 100-1 Planking or decking, 200-7 Planks, laying platforms, changing direction, **200**-10

Plastering and lathing operations, **200**-25, 27-29

Platforms

general, 200-7-12

ladders, supported scaffolds, 400-23-24 multi-point adjustable suspension scaffolds,

rest, on portable, hook-on, and attachable ladders, 200-13

overlapping, abutting, or joining, 200-10 Personal fall arrest system, 200-24-29

Pole scaffolds, 400-18-19

Portable, hook-on, and attachable ladders, **200**-13

Power

lines, energized, 200-23 system, mobile scaffolds, 400-8-9

Powered Industrial Trucks (PITs),

moving mobile scaffolds, 400-8-9 personnel platforms, 100-1; 400-6

Prefabricated scaffolds access frames, integral,

400-12-13

Prohibitions

wire suspension ropes, 300-10 gasoline-powered equipment, 300-15

Pump jack scaffolds

brackets, braces and accessories, 400-20-21 minimum platform width, 200-9

Qualified person

definitions, 500-6 designing scaffolds, 200-5

intermixing or modifying components, 200-6 training scaffolds workers, 200-36

R

Ramps and walkways, 200-17

Rated load or maximum intended load, scaffolds

components, 200-19

References, fall protection, 200-8, 25

Registered professional engineer, 200-20; 400-11,17-18

Repairing scaffolds, 200-19; 400-21-22

Rest platforms, portable, hook-on, and attachable

ladders, 200-13

Retraining, 200-38

Riser height, stair towers (note), 200-15

Roof bracket scaffolds

minimum platform width, 200-9

supported scaffolds, 400-23

Roof structures, interior hung scaffolds, 300-17

Ropes, suspension, 200-29

S

Safe access (see access) Sag, platforms, 200-11 Scaffold, definition, 500-7

Scaffolds hoists

general requirements, 300-8-9

suspension rope, 300-9

Scaffolds inspections, competent person, 200-18

Scaffolds stairway (see stair towers)

Scaffolds components

damaged or weakened, minimum strength

requirements, 200-19

inspection, 200-18

intermixing, 200-6

maximum intended load or rated load, 200-19 minimum strength requirements, 200-19

1 • 800 • 4BE SAFE (1 • 800 • 423 • 7233)

Scaffolds Chapter 296-874 WAC

Index

Scaffolds, moving horizontally, exemptions, 200 -20	form scaffolds, 400-14
Scope, chapter application, 100 -1	horse scaffolds, 400-15
Self-contained adjustable scaffolds, fall protection, 200 -26	integral prefabricated scaffold access frames, 400 -11-12
Self-propelled elevating work platforms, exemption,	ladder jack scaffolds, 400-15-16
100 -1	mobile, 400 -6, 8-9
Sheaves, two-point adjustable suspension scaffolds	outrigger, 400 -17
(swing stages), 300 -22	pole scaffolds, 400-18-19
Ship scaffolds (see float (ship) scaffolds)	preventing tipping, 400-3-4
Single-point adjustable suspension scaffolds	pump jack scaffolds, 400 -20-21
general requirements, 300-20-21	repair bracket, 400 -21-22
fall protection, 200-26	roof bracket, 400-23
Single-point or two-point adjustable suspension,	step, platform and trestle ladder, 400 -23-24
vertical lifelines, 200 -28	supported properly, 400-5, 6
Slip-resistant surfaces	tube and coupler scaffolds, 400-25-28
stairway-type ladders, 200-14	tubular welded frame scaffolds (see fabricated
stair towers treads and landings, 200-15	frame scaffolds)
Slipping and tripping hazards, employee protection,	window jack scaffolds, 400 -29
200 -24	Suspended scaffolds
Snow and ice, weather hazards, 200-24	(see also boatswain's chair)
Specific types of scaffolds, 200 -26	catenary scaffolds, 300 -15
Stair towers (stairways), 200-15-16	counterweights, 300 -6
Stairway-type ladders, 200 -14	definitions, 100 -1, 500 -9
Stall loads, hoists, 300-8	equipment, support lines, 200 -35
Steel or plastic banding, toprail or midrail, 200 -32	emergency escape and rescue devices, 300 -1:
Step, platform, and trestle ladder scaffolds,	fall protection, erecting or dismantling scaffolds
400 -23-24	reference, 200 -25
Stilts and ladders, large area scaffolds, 200 -20-21	float (ship) scaffolds, 300 -16
Stonesetters' multi-point adjustable suspension	gasoline powered equipment, prohibited,
scaffolds, 300 -18	300 -15
Strength requirements, minimum	hoists, 300 -9
damaged or weakened scaffolds, 200-19	interior hung, 300 -17
supported scaffolds, 400 -3	multi-level, 300 -17
suspended scaffolds, 300 -3-4	multi-point adjustable suspension scaffolds,
suspension ropes, 300 -3-4	300 -18
Structural integrity, 200 -6,18	needle beam scaffolds, 300 -19
Supervising, moving scaffolds, 200 -5	outrigger beams, 300 -5, 6
Support devices, tiebacks, suspended scaffolds,	single-point adjustable, 300 -20-21
300 -8	strength requirements, 300 -3-4
Support lines	support lines, with cappy 200, 35
suspended scaffolds with canopy, 200 -35	support lines, with canopy, 200 -35
used with lifelines, 200 -28-29	suspension ropes, 300 -13 tiebacks, 300 -7
Supported scaffolds	two-point adjustable suspension scaffolds
bricklayers' square scaffolds (squares), 400 -9-10	(swing stages), 300 -22
carpenters' bracket scaffolds, 400 -14	. 3 3 /
crawling boards (chicken ladders), 400 -10	two-point and multi-point suspension scaffolds, 300 -12
definitions, 100 -1; 500 -8	
erecting or dismantling, 400 -6-7	U-bolt clips, 300- 12 welding, 300 -14
fabricated frame scaffolds (tubular welded frame	weiding, 300 -14 wire rope, 300 -10-11
scaffolds), 400 -11-12	wiic 10pc, 300 -10-11

http://www.Ini.wa.gov/

Index

Scaffolds

Chapter 296-874 WAC

Index

Suspension ropes, independent support lines, anchorage, **200**-28-29, 35
Swaying, two-point adjustable suspension scaffolds (swing stages), **300**-12
Swing stages (*see* two-point adjustable suspension scaffolds)

Т

Tables

minimum platform width (table 1), 200-9
minimum separation distance from
energized power lines (table 2), 200-22
minimum toprail and midrail strength
requirements (table 3), 200-32
suspended scaffolds strength requirements
(table 4), 300-3,4

Tag lines, controlling loads, **200**-22
Testing hoists, nationally recognized testing laboratory, **300**-8

Testing platforms, nationally recognized testing laboratory, **300**-22

Tiebacks

general requirements, **300**-7 outrigger beams, **300**-5 support devices, **300**-8

Tipping platforms, design and installation, **200**-11

Tipping, prevention

mobile scaffolds, when moving, **400**-8 supported scaffolds, **400**-3-4

Toeboards, 200-34-35

Top plate scaffolds, minimum platform width, **200**-9

Toprail and midrail

platforms, **200**-30-33 stairways, **200**-16 (*see also* guardrail systems)

Training

erect, dismantle, operate or maintain, **200**-37

general requirements, 200-36

retrain, 200-38

Tripping and slipping hazards, employee protection,

200-24

Trestle ladder scaffolds, **400**-23-24 Tube and coupler scaffolds, **400**-25-28 Tubular welded frame scaffolds (see fabricated frame scaffolds)

Two-point adjustable suspension scaffolds

fall protection, **200**-26 swing stages, **300**-22-23

Two-point and multi-point suspension scaffolds, swaying, **300**-12

Types of scaffolds, specific, **200**-26 Type 1 or Type 1A ladders, **400**-15-16

U

U-bolt clips, suspended scaffolds, **300**-12 Uninsulated welding lead, suspension ropes, **300**-14 Unstable objects supporting scaffolds, **400**-5, 6

used for additional height, **200**-20-21 Uprights, supported scaffolds,**400**-5



Vertical lifelines, 200-28

W

Walkways

access, **200**-17 fall protection, **200**-26-27 minimum width, **200**-9 planking or decking, **200**-7 Weather hazards, **200**-23-24 Welding

suspended scaffolds, **300**-14 suspension ropes, **300**-13-14

Wheels and casters, mobile scaffolds, **400**-6,8 Wind screens, employee protection, **200**-23

Winding drum hoists, scaffolds hoists, 300-9

Window jack scaffolds, 400-29

Wire ropes (see also wire suspension rope)

catenary scaffolds, 300-15

clips, suspended scaffolds, 300-11-12

competent person, 300-10

connections, 300-11

Wire suspension ropes

condition, **300**-10 connections, **300**-11

Wood platforms, 200-7

Wood poles, pump jack scaffolds, **400**-20-21 Wooden-bracket form scaffolds, **400**-14 Working level height, increasing, **200**-20-21

1 • 800 • 4BE SAFE (1 • 800 • 423 • 7233)